

Anyway



- ◆
- ◆
- ◆
- ◆





VSA701-G150T02-N



- 
- 
- 
- 
- 
- 
- 
- 
- 



- 
- 
- 
- MRI
- 
- 
- 



		--	--	700	--	Vrms
		1 /	--	--	±1000	Vp
			--	±15	--	VDC
			--	±80	--	mA
			1000:100			V/mA
			--	±100	--	mA
			0	50	100	


		25±10	--	0.1	--	%
	Δφ	50Hz	--	0.0315	--	°
	ε	--	--	--	100	ppm
		25±10	--	--	±5	uA
			--	--	±10	uA
(- 3 dB)	F	--	0	--	200	kHz

		--	-10	--	+70	°C
		--	-25	--	+85	°C



	m	--	350±30	g
--	---	----	--------	---

7.1. ( mm)




1

GB/T1804-2000 C

7.2.

- 4P
- + + Vcc
- - Vcc
- M
- G
- 2
- V+
- V-





2

M

V<sub>P</sub>

$$V_P = K_N * I_s$$

1	电压传感器	VSA701-G150T02-N	1 件	
2	使用说明书	VSA701-G150T02-N	1 份	

●

●





地址：湖南省长沙市经济技术开发区开元路 17 号湘商世纪鑫城 43 楼  
邮编：410073  
前台：0731-8839 2988  
传真：0731-8839 2900  
商务：0731-8839 2955  
技术咨询：0731-8839 2611  
售后服务：0731-8839 2988-218  
网址：www.vfe.ac.cn

